Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Authorized Signatory MACROTECH DEVELOPERS LIMITED Lodha Excelus, NM Joshi Marg, Mahalaxmi, Mumbai- 400011 -400011

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

4.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/412178/2022 dated 26 Dec 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC23B038MH164951 2. File No. SIA/MH/INFRA2/412178/2022 3.

Project Type New Category

5. Project/Activity including Schedule No.

6. Name of Project

Residential and commercial development along with PTC component on Plot bearing CTS No. 67 (pt.), 67A, 67/1 to 67/5 & 67/9 to 67/18, Village: Vikroli, Taluka: Kurla, District: Mumbai Suburban, State: Maharashtra, India by M/s.

Macrotech Developers Limited.

8(a) Building and Construction projects

Name of Company/Organization MACROTECH DEVELOPERS LIMITED 7.

8. **Location of Project MAHARASHTRA**

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé, I.A.S. Date: 18/05/2023 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/412178/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To

M/s. Macrotech Developers Limited,

CTS No. 67 (pt.), 67A, 67/1 to 67/5 & 67/9 to 67/18,

Village: Vikroli, Taluka: Kurla, District: Mumbai.

Subject

: Environment Clearance for proposed Residential and commercial development along with PTC component on Plot bearing CTS No. 67 (pt.), 67A, 67/1 to 67/5 & 67/9 to 67/18, Village: Vikroli, Taluka: Kurla, District: Mumbai Suburban by M/s. Macrotech Developers Limited.

Reference: Application no. SIA/MH/INFRA2/412178/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 195th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 258th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No	Description	Details		
1	Proposal Number	SIA/MH/INFRA2/412178/2022		
2	Name of Project	Residential and commercial development along with PTC component on Plot bearing CTS No. 67 (pt.), 67A, 67/1 to 67/5 & 67/9 to 67/18, Village: Vikroli, Taluka: Kurla, District: Mumbai Suburban, State: Maharashtra, India by M/s. Macrotech Developers Limited.		
3	Project category	8 (a)		
4	Type of Institution	Private		
5	Project Proponent	Name	M/s. Macrotech Developers Limited	
		Regd. Office address	Lodha Excelus, NM Joshi Marg, Mahalaxmi, Mumbai 400 011, India.	
		Contact number	9930452858	
		e-mail	atul.jangam@lodhagroup.com	
6	Consultant	ULTRA TECH Certificate No: NABET/EIA/2023/RA 0194 Validity: 9 th March 2023		
7	Applied for	New		
8	Location of the project	Plot bearing CTS No. 67 (pt.), 67A, 67/1 to 67/5 & 67/9 to 67/18, Village: Vikroli, Taluka: Kurla, District:		

		M. L. C. L. L. C. L. M.L. L. L. T. L.			
_	T 1 1 T	Mumbai Suburban, State: Maharashtra, India.			
9	Latitude and Longitude	Latitude: 19°6'23.18"N			
	District ()	Longitude: 72°55'25.07"E			
10	Plot Area (sq.m.)	11,569.53 sq. mt.			
11	Deductions (sq.m.)	1,550.11 sq. mt.			
12	Net Plot area (sq.m.)	10,019.42 sq. mt.			
13	Ground coverage (m ²) & %	7,587.67 sq. mt. (76%)			
14	FSI Area (sq.m.)	48,793.99 sq. mt.			
15	Non-FSI (sq.m.)	59,112.05 sq. mt.			
16	Proposed built-up area (FSI + Non	1,07,906.04 sq. mt.			
	FSI) (sq.m.)				
17	TBUA (m ²) approved by Planning	Application submitted to SRA for approval dated			
	Authority till date	07.01.2023.			
18	Earlier EC details with Total	Not applicable			
	Construction area, if any.				
19	Construction completed as per	Not applicable			
<u> </u>	earlier EC (FSI + Non FSI) (sq.m.)				
20	Previous EC / Existing Building	Proposed Configuration Reason for			
	Building Configuration Height	Building Configuration Height Modification/			
	Name (m)	Name (m) Change			
		Wing C1 4 Basements + 100.20			
		Ground + 33			
		floors			
		Wing S1 4 Basements + 81.25			
		Ground + 17			
		floors			
		Wing S2 4 Basements + 11.25			
		Ground + 2			
		Wing 4 Basements + 107.75			
		Wing 4 Basements + 107.75 Ground + 36			
		floors			
21	No of Tenements & Shans	Sale Flats: 232 nos.			
21	No. of Tenements & Shops	PTC flats: 371 nos.			
,		PTC shop: 1 no.			
		Sale shops: 113 nos.			
		Sale Offices			
		Clinics: 29 nos.			
		Welfare Centre: 2 nos.			
		Balwadi: 2 nos.			
		Healthcare centres: 2 nos.			
		Society Office: 4 nos.			
		Skill Development: 2 nos.			
	,	Community centre: 1 no.			
22	Total Population	5330 numbers			
23	Total Water Requirements CMD	444 CMD			
24	Under Ground Tank (UGT) location	Basement			
25	Source of water	MCGM			
26	STP Capacity & Technology	Provision of 3 STPs of total capacity 425 KL			
		Technology: Membrane Bio Reactor			
		(MBR)Technology			
\					

27	STP Location	Basement		<u> </u>
28	Sewage Generation CMD & % of	 	ration: 384 (CMD
	sewage discharge in sewer line	_	Sewage Generation: 384 CMD % of sewage discharge in sewer line: 35%	
29	Solid Waste Management during Construction Phase	Type	Quantity	Treatment / disposal
	Construction 1 hase	Description	(Kg/d)	
		Dry waste Wet waste	30 Kg/d	To Authorized recyclers
		Excavation	20 Kg/d	10 0001 -1111
		earth	90,000	19,000 cum shall be partly reused on site for
		Calui	cum	reused on site for backfilling and levelling
				and remaining 71,000
				cum shall be disposed to
		5.700° 12.700 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400 12.400		authorized landfill site as
1				per permission from
				MCGM.
		Construction	_	Shall be Partly recycle/
1		waste		reuse on site and disposal
		The state of the s		of remaining waste to
		(*) 		authorized landfill site
ì				with permission of
				MCGM shall be disposed
				to authorized landfill site
		h sa in Alf		as per permission from
30	Tetal Calid Wast On the state of		<u> </u>	MCGM.
30	Total Solid Waste Quantities with type during Operation Phase &	Type	Quantity (Va/d)	Treatment / disposal
i	Capacity of OWC to be installed	Dry waste	(Kg/d)	Min Na
		Wet waste	876 Kg/d 586 Kg/d	To Authorized recyclers Treatment in OWC
		E-Waste	96	Shall be stored separately
			Kg/month	at a common designated
or it				location and handed over
				to Authorized agency for
25.7				further disposal as per E-
"". ""				N N N N N N N N N N N N N N N N N N N
		PARTICIPANT TO COMPANY OF		waste (Management)
				Rules, 2016 and as
				Rules, 2016 and as amended in 2018
		STP Sludge		Rules, 2016 and as
21		(dry)		Rules, 2016 and as amended in 2018 Use as manure
31	R.G. Area in sq.m.	Barana da B	-801.55 sq. r	Rules, 2016 and as amended in 2018 Use as manure
31	R.G. Area in sq.m.	(dry) RG required –		Rules, 2016 and as amended in 2018 Use as manure nt.
31	R.G. Area in sq.m.	(dry) RG required -	on Mother ea	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt.
31	R.G. Area in sq.m.	(dry) RG required - RG provided of RG provided of	on Mother ea	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt.
31	R.G. Area in sq.m.	(dry) RG required – RG provided of RG provided of Total - 859.87	on Mother ea on podium - sq. mt.	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt.
31	R.G. Area in sq.m.	(dry) RG required - RG provided of RG provided of Total - 859.87 Existing trees	on Mother ear on podium - sq. mt. on plot: 46 r	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt.
31	R.G. Area in sq.m.	RG provided of RG provided of Total - 859.87 Existing trees Number of tre	on Mother ear on podium - sq. mt. on plot: 46 n es to be plan	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt. los. ted: 641 nos.
31	R.G. Area in sq.m.	RG provided of RG provided of Total - 859.87 Existing trees Number of tre a) In RG a	on Mother ear on podium - sq. mt. on plot: 46 n es to be plan	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt.
31	R.G. Area in sq.m.	RG provided of RG provided of Total - 859.87 Existing trees Number of tre a) In RG aplantation	on Mother ear on podium - sq. mt. on plot: 46 r es to be plan area: 463 r	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt. ted: 641 nos. los. (including periphery
31	R.G. Area in sq.m.	RG provided of RG provided of Total - 859.87 Existing trees Number of tre a) In RG aplantation) b) In Miyawal	on Mother ear on podium - sq. mt. on plot: 46 r es to be plan area: 463 r	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt. los. ted: 641 nos.
31	R.G. Area in sq.m.	RG provided of RG provided of Total - 859.87 Existing trees Number of tre a) In RG aplantation b) In Miyawal = 86 sq. mt.)	on Mother ear on podium - sq. mt. on plot: 46 r es to be plan area: 463 r	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt. los. ted: 641 nos. los. (including periphery (with area): 178 nos. (area
31	R.G. Area in sq.m.	RG provided of RG provided of RG provided of Total - 859.87 Existing trees Number of tre a) In RG aplantation b) In Miyawal = 86 sq. mt.) Number of tre	on Mother ear on podium - sq. mt. on plot: 46 r es to be plan urea: 463 r ki Plantation	Rules, 2016 and as amended in 2018 Use as manure nt. rth/ Ground - 859.87 sq. mt. 0.00 sq. mt. los. ted: 641 nos. los. (including periphery (with area): 178 nos. (area

32	Power requirement	During Operation Phase:
		Connected load (KW): 5723 MW
		Maximum demand (KW): 2794 kW
33	Energy Efficiency	Total Energy saving (%): 20.41%
		Solar energy (%): 5.16%
34	D.G. set capacity	4 DG Sets of total capacity 3150 kVA
35	No. of 4-W & 2-W Parking with	4-Wheeler: 528 Nos.
	25% EV	2-Wheeler: 146 Nos.
		Provision of 25% of E-charging facility.
36	No. & capacity of Rain water	Provision of 3 nos. of rain water harvesting tank of
	harvesting tanks /Pits	capacity 185 KL.
37	Project Cost in (Cr.)	Rs. 290.37 Cr.
38	EMP Cost	Construction Phase: Rs. 513.44 Lacs
		Operation Phase:
-		Capital cost: Rs. 2874.86 Lacs (Including DMP cost)
		Operational and Maintenance cost: Rs. 53.14
		Lacs/annum (Including DMP cost)
39	CER Details with justification if	-
	anyas per MoEF & CC circular	
	dated 01/05/2018	
40	Details of Court Cases/ litigations	No litigation is pending against the project or land
	w.r.t the project and project location,	
	if any.	

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 258th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

B. SEIAA Conditions-

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved

- sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the

respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai City.
- 6. Commissioner, Municipal Corporation of Greater Mumbai
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.