



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Authorized Signatory MACROTECH DEVELOPERS LIMITED Lodha Excelus, NM Joshi Marg, Mahalaxmi, Mumbai- 400011 -400011

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

3.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/412480/2022 dated 28 Dec 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC23B038MH146092 2. File No. SIA/MH/INFRA2/412480/2022

Project Type New Category

4. 5. Project/Activity including

Schedule No.

6. Name of Project

Division Building Situation
Azad Road, Mumbai-400007 Division Building situated at Maulana Name of Company/Organization MACROTECH DEVELOPERS LIMITED 7. 8. **Location of Project MAHARASHTRA**

8(a) Building and Construction projects

Proposed Residential cum Commercial

development at C. S. No. 1913 of Byculla

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé, I.A.S. Date: 18/05/2023 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/412480/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s.Macrotech Developers Ltd., C. S. No. 1913 of Byculla Division, Maulana Azad Road, Mumbai.

Subject: Environment Clearance for proposed Residential cum Commercial development at C. S. No. 1913 of Byculla Division Building situated at Maulana Azad Road, Mumbai by M/s.Macrotech Developers Ltd.

Reference: Application no. SIA/MH/INFRA2/412480/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 195th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 258th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details		
1	Proposal Number	SIA/MH/INFRA2/412480/2022		
2	Name of Project	Proposed Residential cum Commercial development at C. S. No. 1913 of Byculla Division Building situated at Maulana Azad Road, Mumbai		
3	Project category	8(b) Township and Area Development		
4	Type of Institution	Private		
5	Project Proponent	Name	Macrotech Developers Limited	
		Regd. Office address	Lodha Excelus, NM Joshi Marg, Mahalaxmi, 400011	
		Contact number	9769872565	
		e-mail	developersmacrotech@gmail.com	
	· · · · · · · · · · · · · · · · · · ·		rupesh.kadam2@lodhagroup .com	
6	Consultant		earch India Pvt. Ltd. NABET/EIA/2124/IA0076	
		Name:- Mr.Avick S		
		Contact Deta		
7	Applied for	Fresh	worm with which with the same of the same	

8 Location of the	e project		o. 1913 of By		_
9 Latitude and L		1	t Maulana Azad .6"N 72°49'41.7'		uiiioai
9 Latitude and L 10 Plot Area (sq.n		28,426.64		<u> </u>	
11 Deductions (se		3,567.49	<u> </u>		
	<u> </u>	24,859.13			
12 Net Plot area (13 Ground covera		10,928.5			
13 Ground covera	ige (m⁻) & %	43.96%	ı sq.m.		
14 FSI Area (sq.m		1,34,239.	<u> </u>		
15 Non-FSI (sq.m	- 1930 part of the control of the co	1,49,645.	15 54 (080) (1. 57) 177 (6. 1	and the second	
	-up area (FSI +	2,83,884.	200 AND 12 ST		B.
Non FSI) (sq.n	7 9024 workfolklinde	2,03,004.	12		
17 TBUA (m ²) ap	TOTAL STATE OF	P-	King		
Planning Auth	 	1. 70452005 7	22/(1913)/EWA	RD/RYC	III I A/337/1/N
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	only the date		I on 22.07.2022	(D),D 1 C	
	A Committee of the Comm		3,594.44 Sq.m		
18 Earlier EC deta	ails with Total				
Construction a				1. (ve	
1,500 10000 10000 1000	ompleted as per	-730		<u> </u>	
earlier EC (FS	7 - 0500-6500 Taganina.				
(sq.m.)					
20 Previous E	C / Existing	Proposed	l Configuration		Reason for
Building	2				Modificatio
8.00 9.00	figurat Heig	Buildin	Configurati	Heig	n / Change
ng ion	8 - AMB. 1954BB	g	on	ht .	
Name	(m)	Name		(m)	
NA		Wing 1	Gr + 1 st to	181.4	- 49 84
			56 th Floor	m	
		Wing 2	Gr + 1st to	143.6	
			44 th Floor	m	
		Wing 3	Gr + 1st to 8th	169.1	- 44 04
			Podium + 9 th	0 m	
			to 46 th Floor		
		Wing 4	1 st Basement	172.7	-
			+ Gr + 1 st to	5 m	
			8 th Podium +		
			9 th To 47 th		
			Floor		
		Wing 5	1 st To 5 th	69.15	-
			Basement +	m	
			Gr. $+ 1^{st}$ to		·
			20 th Floor		
		MLCP	1 st to 3 rd	30.25	-
		Buildin	Basement +	m	

	<u> </u>		0 15		T
		g	Gr. + 1 st to		
			11 th Parking		
			Floor		
		Fitness	Gr + 1 st	9 m	-
ŀ		Centre	Floor	_	
		Temple	Ground	4.65	-
			Floor	m	
21	No. of Tenements & Shops	Flats - 898	8 nos.		
	- 1987) 1	Commerci	al area - 10854	Sq.mt	
22	Total Population	6657 nos.			
23	Total Water Requirements	842.6 KLI)		
	CMD	g ggg- y Chirtish Patrick (1985)		4.ur3	
24	Under Ground Tank (UGT)	Basement	Underground	. 4.5	
	location				
25	Source of water	MCGM			
26	STP Capacity & Technology	500 KLD,	180 KLD and 4	5 KLD	31. 4.5.
		MBBR			
27	STP Location	500 KLD	STP and 45 KL	D STP –	Basement
		180 KLD	STP – Undergro	und	
28	Sewage Generation CMD & %	688.3 KLI)		
	of sewage discharge in sewer	34%			
	line				
20	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		The second secon		. 60°909 6°00
29	Solid Waste Management	type	Quanti	ty	Treatment /
29	Solid Waste Management during Construction Phase	type	Quanti (Kg/d)	ty	No established in the control of the
29	Solid Waste Management during Construction Phase	Dry waste	(Kg/d)		Treatment / disposal Handover to
29			397 - 3 3 A - 7 330 337 -		disposal
29			(Kg/d)		disposal Handover to authorized
29			(Kg/d) 90 Kg/I	Day	disposal Handover to
29		Dry waste	(Kg/d) 90 Kg/I 60 Kg/I	Day	disposal Handover to authorized recyclers
29		Dry waste Wet waste	(Kg/d) 90 Kg/I 60 Kg/I	Day	disposal Handover to authorized recyclers
30	during Construction Phase	Dry waste Wet waste Construction waste	(Kg/d) 90 Kg/I 60 Kg/I on -	Day Day	disposal Handover to authorized recyclers OWC
	during Construction Phase Total Solid Waste Quantities	Dry waste Wet waste Constructi	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti	Day Day	disposal Handover to authorized recyclers OWC - Treatment /
	during Construction Phase Total Solid Waste Quantities with type during Operation	Dry waste Wet waste Constructi waste Type	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d)	Day Day	disposal Handover to authorized recyclers OWC Treatment / disposal
	during Construction Phase Total Solid Waste Quantities	Dry waste Wet waste Construction waste	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti	Day Day	disposal Handover to authorized recyclers OWC - Treatment /
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructi waste Type	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d)	Day Day	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructi waste Type	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d)	Day Day	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructivaste Type Dry waste	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d) 2116.41	Day Day Cy Kg/Day	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructivaste Type Dry waste	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d) 2116.41	Day Day Cy Kg/Day	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructivaste Type Dry waste	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d) 2116.41	Day Day Cy Kg/Day	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructive waste Type Dry waste Wet waste E-Waste	(Kg/d) 90 Kg/I 60 Kg/I on Quanti (Kg/d) 2116.4 I	Day Day ty Kg/Day	disposal Handover to authorized recyclers OWC
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructivaste Type Dry waste Wet waste E-Waste STP Sh	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d) 2116.41	Day Day ty Kg/Day	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers OWC
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Wet waste Constructivaste Type Dry waste Wet waste E-Waste STP Sla (dry)	(Kg/d) 90 Kg/I 60 Kg/I	Day Day Cy Cg/Day Day	disposal Handover to authorized recyclers OWC
	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste Constructi waste Type Dry waste Wet waste E-Waste STP Sli (dry) RG require	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d) 2116.41 1410.9 Kg/Day - udge 6.9 Kg/I	Day Ey Cg/Day Day .m	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers OWC - Shall be used as Manure
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Wet waste Constructivaste Type Dry waste Wet waste E-Waste STP Slandry) RG require RG provid	(Kg/d) 90 Kg/I 60 Kg/I	Day Ey Cg/Day Day .m 6216.56	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers OWC - Shall be used as Manure Sq.m
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Wet waste Constructivaste Type Dry waste Wet waste E-Waste STP Slandry) RG require RG provid	(Kg/d) 90 Kg/I 60 Kg/I on - Quanti (Kg/d) 2116.41 1410.9 Kg/Day - udge 6.9 Kg/I	Day Ey Cg/Day Day .m 6216.56	disposal Handover to authorized recyclers OWC Treatment / disposal Handover to authorized recyclers OWC Shall be used as Manure Sq.m

		Number of Trees on plot: 34 nos.
		Number of Trees to be cut: 19 nos.
		Number of Trees to be transplanted: 8 nos.
		Number of Trees to be retained: 7 nos.
		Miyawaki Plantation: 900 nos. (620 Sq.Mtrs.)
		Total Number of trees to be planted: 1150 nos.
32	Power requirement	During Operation Phase:
		Details
		Connected load 13013 KW
		(kW)
		Demand load (kW) 5305 KW
33	Energy Efficiency	a) Overall energy savings (%): 21 %
		b) Solar energy (%): 5 %
34	D.G. set capacity	910 KVA and 1250 KVA
35	No. of 4-W & 2-W Parking with	4-wheeler Provided – 1891 nos.;
	25% EV	2-wheeler Provided — 161 nos.
36	No. & capacity of Rain water	130 cum x 2 nos., 48 cum
	harvesting tanks /Pits	
37	Project Cost in (Cr.)	409 Cr.
38	EMP Cost	Construction Phase – 63.4 Lakhs
		Operation Phase – 1083 Lakhs (77.3 Lakhs – O/M)
39	CER Details with justification	Not applicable (as per MoEF&CC OM F. NO. 22-
	if anyas per MoEF&CC	65/2017-IA.III dt. 30.09.2020)
	circular dated 01/05/2018	
40	Details of Court	NA
g.K.	Cases/litigations w.r.t the	
	project and project location, if	
15/2000 15/2000	any.	

3. The proposal has been considered by SEIAA in its 258th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to obtain following NOCs & remarks: a)SWD remarks; b) HRC NOC.
- 3. PP to reduce discharge of treated water up to 35%; PP to submit NOC from MCGM regarding use of excess treated water to playground proposed within the project site.
- 4. PP to convert 10% RG area in to Miyawaki planation & include the cost of same in EMP; PP to revise tree list including nos. of trees to be planted in Miyawaki plantation.

- 5. PP to provide pumping for rain water harvesting & include the cost of same in EMP.
- 6. PP to submit revised Fire Tender Movement Plan showing clear road width of six meters and turning radius of nine meters of all around the proposed buildings.

B. SEIAA Conditions-

- 1. This EC is restricted up to 120 m height as PP has not obtained HRC NOC.
- 2. This EC is restricted for Wing no 1, 2 and 4 up to 162.60 m, 162.60 m and 169.10 m height respectively as per CFO NOC.
- 3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI–133594.44 m2, Non-FSI-148926.32 m2, Total BUA- 282520.76 m2. (Plan approval No.P-11910/2022/(1913)/EWARD/BYCULLA /337/1/NEW dated on 22.07.2022) (Restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.

- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent

- possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.

- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and

Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

> Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai City.
- 6. Commissioner, Municipal Corporation of Greater Mumbai.
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.